MATH 271, HOMEWORK 2

Due September 11th

Problem 1. Consider the following autonomous equation.

$$x' = -x^2.$$

- (a) Draw the phase line for this system. What are the equilibrium point(s)? Which equilibria are stable? Which are unstable? Explain.
- (b) Find a general solution to the ODE.
- (c) Explain how your general solution matches fits the qualitative behavior expected from the phase line. That is, can you show that limits of your general solution match your qualitative analysis?
- (d) Can x(0) = 0 be an initial condition? Explain. Hint: your analysis from the phase line may prove to be more useful than the general solution you found.

Problem 2. Let y be a function of x and consider the following differential equation.

$$y' = y \cos(x)$$
.

- (a) What is the order of this equation? Is the equation separable? Explain.
- (b) Plot an approximation of the slope field for this equation using this Desmos link: https://www.desmos.com/calculator/e93gktwtfo. Note that you will have to modify the g(x,y) equation in that page.
- (c) Find the general solution to this equation.
- (d) Given the initial data y(0) = 1, find the particular solution.
- (e) Plot this function over your slope field. Explain how you could have approximated this solution using just the slope field.
- (f) Explain in words what the solution describes if we let y(x) be the position of some object and x represents time.

Problem 3. Consider the differential equation

$$x' = \frac{x+t}{t}.$$

- (a) Let $f(x,t) = \frac{x+t}{t}$. Show that $f(x,t) = f(\lambda x, \lambda t)$.
- (b) Given (a) holds, use the change of variables $u = \frac{x}{t}$ to rewrite the differential equation as a separable equation in terms of u.

(c) Find the general solution to the equation and write your solution in terms of the original variables t and x.

Problem 4. Find the general solution to the following equation.

$$tx' + 2x = \frac{\sin(t)}{t}.$$

Show that your solution is correct. (Hint: can you use an integrating factor?)